

# tratto


l'apparecchio tecnico lascia poco spazio alla espressività



**uno stile deciso...**  
*a strong style*




**...equilibrio ideale  
tra estetica e funzionalità**  
*ideal balance between aesthetics and functionality*



**tratto è una lampada a sospensione dallo stile deciso e le forme ben definite. i materiali autentici e di altissima qualità costituiscono il perfetto equilibrio tra estetica e funzionalità, offrendo un apparecchio dal design unico, senza per questo dover rinunciare alla sua efficienza.**

*tratto is a suspension lamp with a strong style and well-defined shapes. the authentic and high quality materials constitute the perfect balance between aesthetics and functionality, offering a luminaire with a unique design, without having to give up its efficiency.*





**tratto è un apparecchio di illuminazione versatile, scelto da architetti e studi di progettazione perchè ideale sia per ambienti privati che aziendali. le finiture *totalwhite* e *totalblack* ne esprimono l'eleganza, il verniciato ottone il suo carattere deciso.**

*tratto is a versatile lighting fixture, chosen by architects and design studios because it is ideal for both private and professional spaces. the *totalwhite* and *totalblack* finishes express its elegance, the painted brass its decisive character.*








**soluzione per illuminare  
ogni ambiente,  
coniugando  
perfetta funzionalità  
ed estetica ricercata.  
la parete stessa si trasforma  
in un flusso di luci e ombre  
con rinnovata profondità,  
aggiungendo valore  
a qualsiasi *design* da interno.**



*solution to illuminate any living or  
professional space, combining  
perfect functionality and refined  
aesthetics. the wall itself transforms  
into a flow of light and shadow with  
renewed depth, adding value to  
any interior design.*
















## informazioni tecniche - technical infos




**tratto 50/ap** dim 0-10  
 driver a bordo  
 monoemissione  
 11w 24V 1400lm 3000K - 230V  
 fornito con driver e modulo led-strip

finiture/finishes	codice/code
totalwhite	ap01271
totalblack	ap01272
verniciato ottone old/painted old brass	ap01273

scarica/download

[istruzioni instructions](#) [3D](#) [data sheet](#)



**tratto 100/ap** dim 0-10  
 driver a bordo  
 monoemissione  
 22w 24V 2800lm 3000K - 230V  
 fornito con driver e modulo led-strip  
 driver built-in  
 mono emission  
 luminaire contains driver and led-strip

totalwhite	ap01274
totalblack	ap01275
verniciato ottone old/painted old brass	ap01276

[istruzioni instructions](#) [3D](#) [data sheet](#)


**tratto 100/ap** dim 0-10  
 driver a bordo  
 biemissione  
 22w + 16w 24V 5000lm 3000K - 230V  
 fornito con driver e modulo led-strip  
 driver built-in  
 double emission  
 luminaire contains driver and led-strip

totalwhite	ap01277
totalblack	ap01278
verniciato ottone old/painted old brass	ap01279

[istruzioni instructions](#) [3D](#) [data sheet](#)

apparecchio a parete, a soffitto e a sospensione regolabile in altezza su cavi di tenuta in acciaio. struttura in alluminio. finitura verniciato. diffusore in pmma opale. driver e led-strip integrato dimmerabile da remoto. luce diretta o indiretta. doppia accensione. tratto è disponibile nella versione mono e biemissione, doppia accensione.

wall, ceiling or suspension luminaire adjustable in lenght on iron wires. luminaire. aluminum structure. finish painted. opal pmma diffuser. remote dimmable driver and led-strip. emission light indirect and direct. tratto is available in the single and double emission version, double lighting.



**tratto 150/ap** dim 0-10  
 driver a bordo  
monoemissione  
 30w 24V 4200lm 3000K - 230V  
 fornito con driver e modulo led-strip  
 driver built-in - mono emission  
 luminaire contains driver and led-strip

scarica/download


[istruzioni](#)  
instructions

[3D](#)

[data sheet](#)

finiture/finishes	codice/code
-------------------	-------------

totalwhite	ap01164
totalblack	ap01165
verniciato ottone old - cavo nero	ap01166
painted old brass - black cable	



**tratto 50/pl** dim 0-10  
 driver a bordo  
 11w 24V 1400lm 3000K - 230V  
 fornito con driver e modulo led-strip  
 driver built-in  
 luminaire contains driver and led-strip

scarica/download


[istruzioni](#)  
instructions

[3D](#)

[data sheet](#)

finiture/finishes	codice/code	prezzo/price
-------------------	-------------	--------------

totalwhite	pl01450	290,00
totalblack	pl01451	290,00
verniciato ottone old/painted old brass	pl01452	340,00




**tratto 200/ap** dim 0-10  
 driver a bordo  
monoemissione  
 40w 24V 5800lm 3000K - 230V  
 fornito con driver e modulo led-strip  
 driver built-in  
 mono emission  
 luminaire contains driver and led-strip

[istruzioni](#)  
instructions

[3D](#)

[data sheet](#)

totalwhite	ap01150
totalblack	ap01151
verniciato ottone old/painted old brass	ap01152



**tratto 100/pl** dim 0-10  
 driver a bordo  
 22w 24V 3000lm 3000K - 230V  
 fornito con driver e modulo led-strip  
 driver built-in  
 luminaire contains driver and led-strip

[istruzioni](#)  
instructions

[3D](#)

[data sheet](#)

totalwhite	pl01453	390,00
totalblack	pl01454	390,00
verniciato ottone old/painted old brass	pl01455	470,00


**tratto 200/ap** dim 0-10  
 driver a bordo  
biemissione  
 2 x 35w 24V 10000lm 3000K - 230V  
 fornito con driver e modulo led-strip  
 driver built-in  
 double emission  
 luminaire contains driver and led-strip

[istruzioni](#)  
instructions

[3D](#)

[data sheet](#)

totalwhite	ap00941
totalblack	ap00942
verniciato ottone old/painted old brass	ap01149



**tratto 150/pl** dim 0-10  
 driver a bordo  
 30w 24V 4200lm 3000K - 230V  
 fornito con driver e modulo led-strip  
 driver built-in  
 luminaire contains driver and led-strip

[istruzioni](#)  
instructions

[3D](#)

[data sheet](#)

totalwhite	pl01456	500,00
totalblack	pl01457	500,00
verniciato ottone old/painted old brass	pl01458	630,00


**tratto 200/ap** dim 0-10  
 driver remoto  
biemissione  
 2 x 40w 24V 11600lm 3000K - 230V  
 fornito con driver e modulo led-strip  
 remote driver  
 double emission  
 luminaire contains driver and led-strip

[istruzioni](#)  
instructions

[3D](#)

[data sheet](#)

totalwhite	ap01153
totalblack	ap01154
verniciato ottone old/painted old brass	ap01155




**tratto 200/pl** dim 0-10  
 driver a bordo  
 40w 24V 5800lm 3000K - 230V  
 fornito con driver e modulo led-strip  
 driver built-in  
 luminaire contains driver and led-strip

[istruzioni](#)  
instructions

[3D](#)

[data sheet](#)

totalwhite	pl01459	600,00
totalblack	pl01460	600,00
verniciato ottone old/painted old brass	pl01463	750,00



**tratto 150/so** dim 0-10  
 dimmerabile da remoto  
 driver su coprifilo  
monoemissione inferiore  
 30w 24V 4300lm 3000K - 230V  
 fornito con driver e modulo led-strip  
 remote dimmable control  
 driver on canopy - mono emission  
 luminaire contains driver and led-strip

finiture/finishes	codice/code
totalwhite	so03507
totalblack	so03508
verniciato ottone old - cavo nero painted old brass - black cable	so03509

a richiesta anche in versione monoemissione solo superiore  
 upper-side mono emission version on demand

scarica/download

[Istruzioni](#)  
instructions

[3D](#)

[data sheet](#)


**tratto 150/so** dim 0-10  
 dimmerabile da remoto  
 driver su coprifilo  
 biemissione  
 2 x 30w 24V 8600lm 3000K - 230V  
 fornito con driver e modulo led-strip  
 remote dimmable control  
 driver on canopy - double emission  
 luminaire contains driver and led-strip

totalwhite	so03510
totalblack	so03511
verniciato ottone old - cavo nero painted old brass - black cable	so03512

[Istruzioni](#)  
instructions

[3D](#)

[data sheet](#)



**tratto 200/so** dim 0-10  
 dimmerabile da remoto  
 driver su coprifilo  
monoemissione inferiore  
 40w 24V 5800lm 3000K - 230V  
 fornito con driver e modulo led-strip  
 remote dimmable control  
 driver on canopy - mono emission  
 luminaire contains driver and led-strip

totalwhite	so01388
totalblack	so01389
verniciato ottone old - cavo nero painted old brass - black cable	so03499

a richiesta anche in versione monoemissione solo superiore  
 upper-side mono emission version on demand

[Istruzioni](#)  
instructions

[3D](#)

[data sheet](#)

**tratto 200/so** dim 0-10  
 dimmerabile da remoto  
 driver su coprifilo  
 biemissione  
 2 x 40w 24V 11600lm 3000K - 230V  
 fornito con driver e modulo led-strip  
 remote dimmable control  
 driver on canopy - double emission  
 luminaire contains driver and led-strip

totalwhite	so01678
totalblack	so01679
verniciato ottone old - cavo nero painted old brass - black cable	so03500

[Istruzioni](#)  
instructions

[3D](#)

[data sheet](#)

a richiesta driver dali con maggiorazione  
 dali driver with surcharge on demand





*more with less*